



**Safety Data Sheet**  
**Hydraulic oil with antiwear properties**

**Revision**  
**Date: 05/28/2025**

**Section 1. Identification**

**Product identifier**

**Product Identity**

Hydraulic oil with antiwear properties

**Other means of identification**

GREENLUBE 68

**Relevant identified uses of the substance or mixture and uses advised against**

See Technical Data Sheet.

**Details of the supplier of the safety data sheet**

**Company Name**

Chem-Ecol Ltd.  
640 Victoria St.  
Cobourg, Ontario K9A 5H5

**Emergency**

**24 hour Emergency Telephone No.**

1-800-263-3939

**Customer Service: Chem-Ecol Ltd.**

905-372-2251

**Email Address**

SDS@e360s.ca

**Section 2. Hazard(s) identification**

This SDS is aligned with the Workplace Hazardous Materials Information System (WHMIS) and with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

**Classification of the substance or mixture**

The substance is not classified according to the WHMIS regulations.

**Label elements**

**Warning**

The substance is not classified according to the WHMIS regulations.

**[Prevention]**

No GHS prevention statements

**[Response]**

P332+313 If skin irritation occurs: Get medical attention.

**[Storage]**

No GHS storage statements

## [Disposal]

No GHS disposal statements

### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Lubricating oils (petroleum), clay-treated spent CAS Number: 64742-50-3 Synonyms: Lubricating oils, petroleum, clay-treated spent	45 - 70		----
Distillates (petroleum), hydrotreated light naphthenic CAS Number: 64742-53-6 Synonyms: Distillates (petroleum), hydrotreated light naphthenic; Baseoil-unspecified	10 - 30	Not Classified	----
Lubricating oils, petroleum, hydrotreated spent CAS Number: 64742-58-1 Synonyms: Petroleum oil, 64742-58-1	7 - 13	Not Classified	----

The actual concentration or concentration range is withheld as a trade secret.

\*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

## Section 4. First aid measures

### Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

#### Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

#### Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

#### Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

#### Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

#### Overview

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.

#### Skin

Causes mild skin irritation.

## Section 5. Fire-fighting measures

### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### Environmental precautions

Do not allow spills to enter drains or waterways.

### Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Incompatible materials: Compound is incompatible with strong oxidizers.

See section 2 for further details. - [Storage]

### Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

### Control parameters

#### Exposure Limits

CAS No.	Ingredient	Source	Value
64742-50-3	Lubricating oils (petroleum), clay-treated spent	ACGIH	No Established Limit

		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup> OSHA PEL and 5 mg/m<sup>3</sup> ACGIH.

## Exposure controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Protective safety glasses recommended
<b>Skin</b>	Avoid skin contact. Protective gloves recommended.
<b>Engineering Controls</b>	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

## Section 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Color</b>	Golden
<b>Odour</b>	Oily
<b>Melting point / freezing point</b>	< 0 °C
<b>Initial boiling point and boiling range</b>	> 250 °C
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> No available information <b>Upper Explosive Limit:</b> No available information
<b>Flash Point</b>	> 200 °C, (Open Cleveland cup)
<b>Auto-ignition temperature</b>	No available information
<b>Decomposition temperature</b>	No available information
<b>pH</b>	No available information
<b>Viscosity (cSt)</b>	68 cSt
<b>Solubility in Water</b>	No available information
<b>Partition coefficient n-octanol/water (Log Kow)</b>	No available information
<b>Vapour pressure (Pa)</b>	< 1 mm Hg
<b>Relative Density</b>	0.87-0.89
<b>Vapour Density</b>	> 1
<b>Evaporation rate (Ether = 1)</b>	No available information
<b>Oxidising properties</b>	No available information
<b>Explosive properties</b>	No available information
<b>Other information</b>	
DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)	

## Section 10. Stability and reactivity

### Reactivity

Hazardous Polymerization will not occur.

### Chemical stability

Stable under normal circumstances.

### Possibility of hazardous reactions

No available information

### Conditions to avoid

Avoid high temperatures and contact with incompatible material

### Incompatible materials

Compound is incompatible with strong oxidizers.

### Hazardous decomposition products

Oxides of carbon

## Section 11. Toxicological information

### Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Lubricating oils (petroleum), clay-treated spent - (64742-50-3)	No data available.	No data available.	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Lubricating oils, petroleum, hydrotreated spent - (64742-58-1)	No data available.	No data available.	No data available.	No data available.	No data available.

### Carcinogen Data

CAS No.	Ingredient	Source	Value
64742-50-3	Lubricating oils (petroleum), clay-treated spent	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable

Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

**Possible routes of entry:** Skin, eyes, inhalation of oil mist.

**Symptoms and effects, both acute and delayed:**

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

**Skin** Causes mild skin irritation.

## Section 12. Ecological information

**Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

**Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Lubricating oils (petroleum), clay-treated spent - (64742-50-3)	No data available.	No data available.	No data available.
Distillates (petroleum), hydrotreated light naphthenic - (64742-53-6)	No data available.	No data available.	No data available.
Lubricating oils, petroleum, hydrotreated spent - (64742-58-1)	No data available.	No data available.	No data available.

**Persistence and degradability**

There is no data available on the preparation itself.

**Bioaccumulative potential**

No available information

**Mobility in soil**

No available information

**Results of PBT and vPvB assessment**

This product contains no PBT/vPvB/vPvM chemicals.

**Other adverse effects**

No available information

## Section 13. Disposal considerations

**Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.

### Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

	<b>TDG (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>UN number</b>	NA1270	NA1270	NA1270
<b>UN proper shipping name</b>	Petroleum oil	Petroleum oil	Petroleum oil
<b>Transport hazard class(es)</b>	<b>Class: 3</b> <b>Sub Class: Not Applicable</b>	<b>Class: 3</b> <b>Sub Class: Not Applicable</b>	<b>Class: 3</b> <b>Sub Class: Not Applicable</b>
<b>Packing group</b>	III	III	III
<b>Environmental hazards</b>	IMDG Marine Pollutant: No;		
<b>Special precautions for user</b>	No available information		

### Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17 amended 2022-12-15) and the SDS contains all of the information required by those regulations.

#### Canadian Domestic Substance List (DSL):

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-Amines, C12-14-alkyl, C6-10-alkyl phosphates  
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts  
Distillates (petroleum), hydrotreated light naphthenic  
Lubricating oils (petroleum), clay-treated spent  
Lubricating oils, petroleum, hydrotreated spent  
Naphthalenesulfonic acid, dinonyl-, calcium salt  
Naphthalenesulfonic acid, dinonyl-, zinc salt  
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil-unspecified  
Residual oils (petroleum), solvent dewaxed  
ZINC, BIS[O,O-BIS(2-ETHYLHEXYL) PHOSPHORODITHIOATO

#### Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

<b>Section 16. Other information</b>
--------------------------------------

**Revision Date**            05/28/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

End of Document