



Safety Data Sheet
TAPPING OIL104 - A

Revision Date:
21 November, 2025

Section 1. Identification

Product identifier

Product Identity

TAPPING OIL104 - A

Other means of identification

TAPPING OIL 104 - A

Relevant identified uses of the substance or mixture and uses advised against

Industrial Cutting Oil

Details of the supplier of the safety data sheet

Company Name

Chem-Ecol Ltd.
640 Victoria St.
Cobourg, Ontario K9A 5H5

Emergency

24 hour Emergency Telephone No.

1-800-263-3939

Customer Service: Chem-Ecol Ltd.

905-372-2251

Email Address

SDS@e360s.ca

Section 2. Hazard(s) identification
--

This SDS is aligned with the Workplace Hazardous Materials Information System (WHMIS) and with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Classification of the substance or mixture

The substance is not classified according to the WHMIS regulations.

Label elements

The substance is not classified according to the WHMIS regulations.

[Prevention]

No GHS prevention statements

[Response]

No GHS response statements

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does NOT contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the US EPA PFASMASTER combined list of PFAS chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the Hazardous Products Regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Lubricating oils, petroleum, hydrotreated spent CAS Number: 64742-58-1 Synonyms: Petroleum oil, 64742-58-1	65 - 85	Not Classified	----
Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard CAS Number: 68153-70-8 Synonyms: Fatty acids, vegetable-oil, polymers with C>10 .alpha.-alkenes and lard oil, sulfurized	3 - 7	Not Classified	----
Canola Oil CAS Number: 120962-03-0 Synonyms: No available information	1 - 5	Not Classified	----
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts CAS Number: 68584-23-6 Synonyms: No available information	0.1 - 1	Skin sensitizer category 1B;H317 : 10 % ≤ C ≤ 100 %	----

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview

No specific symptom data available.
No chronic toxicity or long term toxicity information available. Treat symptomatically. See section 2 for further details.

Skin

Causes mild skin irritation.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapours. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: Compound is incompatible with strong oxidizers.

See section 2 for further details. - [Storage]

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
68153-70-8	Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit

120962-03-0	Canola Oil	Yukon	No Established Limit
		ACGIH	No Established Limit
		Alberta	No Established Limit
		British Columbia	No Established Limit
		Manitoba	No Established Limit
		New Brunswick	No Established Limit
		Newfoundland and Labrador	No Established Limit
		Nova Scotia	No Established Limit
		Northwest Territories	No Established Limit
		Nunavut	No Established Limit
		Ontario	No Established Limit
		Prince Edward Island	No Established Limit
		Quebec	No Established Limit
		Saskatchewan	No Established Limit
		Yukon	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 5 mg/m³ ACGIH.

Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Avoid skin contact. Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapour below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State

Liquid

Color

Brown

Odour

Oily

Odour threshold

No available information

Melting point / freezing point

< 0 °C

Initial boiling point and boiling range

> 250 °C

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: No available information

Upper Explosive Limit: No available information

Flash Point

> 160 °C, (Open Cleveland cup)

Auto-ignition temperature	No available information
Decomposition temperature	No available information
pH	No available information
Viscosity (cSt)	32 cSt
Solubility in Water	No available information
Partition coefficient n-octanol/water (Log Kow)	No available information
Vapour pressure (Pa)	< 1 mm Hg
Relative Density	0.88
Vapour Density	> 1
Evaporation rate (Ether = 1)	No available information
Oxidising properties	No available information
Explosive properties	No available information
Other information	
DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)	

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures and contact with incompatible material

Incompatible materials

Compound is incompatible with strong oxidizers.

Hazardous decomposition products

Oxides of carbon

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
------------	---------------------	---------------------	--	---	--------------------------------

Lubricating oils, petroleum, hydrotreated spent - (64742-58-1)	No data available.	No data available.	No data available.	No data available.	No data available.
Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard - (68153-70-8)	No data available.	No data available.	No data available.	No data available.	No data available.
Canola Oil - (120962-03-0)	No data available.	No data available.	No data available.	No data available.	No data available.
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts - (68584-23-6)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
64742-58-1	Lubricating oils, petroleum, hydrotreated spent	IARC	No
		ACGIH	No Established Limit
68153-70-8	Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard	IARC	No
		ACGIH	No Established Limit
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	IARC	No
		ACGIH	No Established Limit
120962-03-0	Canola Oil	IARC	No
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

Skin, eyes, inhalation of oil mist.

Symptoms and effects, both acute and delayed:

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

Skin

Causes mild skin irritation.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Lubricating oils, petroleum, hydrotreated spent - (64742-58-1)	No data available.	No data available.	No data available.
Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard - (68153-70-8)	No data available.	No data available.	No data available.
Canola Oil - (120962-03-0)	No data available.	No data available.	No data available.
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts - (68584-23-6)	> 10,000, Cyprinodon variegatus	> 1,000, Daphnia magna	101.00, Desmodesmus subspicatus

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

Classification Method: Classified as per Part 2, Sections 2.1-2.8 of the Transportation of Dangerous Goods Regulations.

	TDG (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	NA1270	NA1270	NA1270
UN proper shipping name	Petroleum oil	Petroleum oil	Petroleum oil
Transport hazard class(es)	Class: 3 Sub Class: Not Applicable	Class: 3 Sub Class: Not Applicable	Class: 3 Sub Class: Not Applicable
Packing group	III	III	III
Environmental hazards	IMDG Marine Pollutant: No;		
Special precautions for user	No available information		

Section 15. Regulatory information

This product has been classified in accordance with the hazard criteria Hazardous Products Regulations (SOR/2015-17 amended 2022-12-15) and the SDS contains all of the information required by those regulations.

Canadian Domestic Substance List (DSL):

1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-ar-methyl-
Amines, C12-14-alkyl, C6-10-alkyl phosphates
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts
Benzenesulfonic acid, mono-C15-24-alkyl derivatives, calcium salts
Calcium carbonate
Calcium petroleum sulfonate
Canola Oil
Citrus Terpenes
Distillates (petroleum), solvent refined heavy paraffinic
Distillates (petroleum), solvent-dewaxed heavy paraffinic
Fatty acids, vegetable oil, polymers with C>10 a-alkenes and sulfurized lard
Lubricating oils, petroleum, hydrotreated spent
Naphthalenesulfonic acid, dinonyl-, calcium salt
Naphthalenesulfonic acid, dinonyl-, zinc salt
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil-unspecified
Polyisobutylene
ZINC, BIS[O,O-BIS(2-ETHYLHEXYL) PHOSPHORODITHIOATO

Canadian Non-Domestic Substance List (NDSL):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Section 16. Other information

Revision Date 21 November, 2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H317 May cause an allergic skin reaction.

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid

for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

End of Document